

Pliant Retail CHF Pricelist September 2016

September 2016



Part	Price List Description	Price CHF excl. 8% VAT	Price CHF incl. 8% VAT
Tempest2400 EU			
TMP-B224-EU	Tempest® 2.4GHz 2-Channel BaseStation (CE) digital wireless BaseStation operating in the 2.4GHz band supporting up to five full duplex BeltStations in normal mode and many more in split or shared mode across two intercom channels. * Only EU models are compliant with CE/ETSI standards. INCLUDES: Power Cord, Antenna (x1), USB A to B Cable, USB A to Mini B Cable, 1/8" Mini to 1/8" Mini Stereo Cable, DB-9 Sync Cable, Quick Start Guide, Safety Manual, Firmware Update Manual, T-Desk CD	CHF 6'243.75	CHF 6'743.25
TMP-B424-EU	Tempest® 2.4GHz 4-Channel BaseStation (CE) digital wireless BaseStation operating in the 2.4GHz band supporting up to 5 full duplex BeltStations in normal mode and many more in split or shared mode across four intercom channels. * Only EU models are compliant with CE/ETSI standards. INCLUDES: Power Cord, Antenna (x2), USB A to B Cable, USB A to Mini B Cable, 1/8" Mini to 1/8" Mini Stereo Cable, DB-9 Sync Cable, Quick Start Guide, Safety Manual, Firmware Update Manual, T-Desk CD	CHF 7'993.75	CHF 8'633.25
TMP-MS224-EU	Tempest® 2.4GHz 2-Channel MasterBelt® (CE) MasterBelt® two-channel battery operated portable digital wireless BaseStation operating in the 2400 to 2480 MHz band, supporting up to five additional full duplex BeltStations using two intercom channels. * Only EU models are compliant with CE/ETSI standards INCLUDES: Multi-blade Charger, Tempest CD, USB Cable, Pairing Cable, Li-Poly Battery, Quick Start Guide	CHF 3'306.25	CHF 3'570.75
TMP-R224-EU	Tempest® 2.4GHz 2-Channel Wireless BeltStation (CE) duplex wireless BeltStation that operates in conjunction with the Tempest 2.4GHz BaseStations/MasterBelt® and features dual talk/listen operation, weather-resistant enclosure, and a comprehensive backlit LCD display for status information.* Only EU models are compliant with CE/ETSI standards INCLUDES: Multi-blade Charger, Tempest CD, USB Cable, Pairing Cable, Li-Poly Battery, Quick Start Guide	CHF 2'118.75	CHF 2'288.25
TMP-R424-EU	Tempest® 2.4GHz 4-Channel Wireless BeltStation (CE) duplex wireless BeltStation that operates in conjunction with the Tempest®2.4GHz BaseStations/MasterBelt® and features dual talk/listen operation, weather-resistant enclosure, and a comprehensive backlit LCD display for status information.* Only EU models are compliant with CE/ETSI standards INCLUDES: Multi-blade Charger, Tempest CD, USB Cable, Pairing Cable, Li-Poly Battery, Quick Start Guide	CHF 2'668.75	CHF 2'882.25
TMP-RT24-EU	Tempest® 2.4GHz Remote Transceiver w/Omni-Antenna, CE Transceiver, which allows the Tempest®2.4GHz BaseStation antenna to be located up to 1500 ft (450 m) from the BaseStation without any loss of RF signal by operating using standard CAT 5/6 cable.* Only EU models are compliant with CE/ETSI standards. INCLUDES: Antenna (x2), Universal Mounting Plate w/Screws (x2), 15 ft. (4.57 m) CAT-5e Ethernet Cable	CHF 2'618.75	CHF 2'828.25
Headsets			
SBP-151T	SmartBoom® PRO Single Ear Tempest® Headset that utilizes SmartBoom® microphone boom On/Off technology. Provides high ambient-noise reduction and produces high quality audio using a cardioid dynamic microphone. Features a flexible ambidextrous design, soft foam padding, foldable ear cup, and replaceable ear and temple cushion. INCLUDES: Removable 5 ft. (1.52 m) cable with 4-pin XLR Female connector termination.	CHF 343.75	CHF 371.25
SBP-152T	SmartBoom® PRO Dual Ear Tempest® Headset that utilizes SmartBoom® microphone boom On/Off technology. Provides high ambient-noise reduction and produces high quality audio using a cardioid dynamic microphone. Features a flexible ambidextrous design, soft foam padding, foldable ear cup, and replaceable ear cushions. INCLUDES: Removable 5 ft. (1.52 m) cable with 4-pin XLR Female connector termination.	CHF 375.00	CHF 405.00

Pliant Retail CHF Pricelist September 2016

September 2016



Part	Price List Description	Price CHF excl. 8% VAT	Price CHF incl. 8% VAT
General Accessories			
BOG-C1575B	Bogen 'C' Clamp Universal Mount securely mounted on any tube from 0.5" to 2.1" in diameter. Supplied with a unique wedge insert for clamping onto flat surfaces. Used as a mount for the Tempest® directional antenna kit (TMA-ANTSYS-09C)	CHF 73.75	CHF 79.65
TMA-BAT-02	Rechargeable Lithium-Polymer Battery Lithium-Polymer battery for use with Tempest® BeltStations and MasterBelt. Provides up to 9 hours of active use.	CHF 123.75	CHF 133.65
TMA-BCHRG-05A	Tempest® 5-bay Battery Charger for Li-Poly Batteries charging Lithium-Polymer batteries (TMA-BAT-02) outside of the BeltStation or MasterBelt. Charges up to five batteries from empty to full in approximately 2.5 hours. INCLUDES: Power Supply w/Power Cord (IEC 60320, US-type)	CHF 931.25	CHF 1'005.75
TMA-RTEXT-01	Tempest® Remote Transceiver Line Extender Transceiver Line Extender. Used in-line between single Tempest® BaseStations and the Remote Transceivers to extend to distances up to 4500 feet. (1372 m). Up to three RT Line Extenders may be inserted between a BaseStation and Remote Transceiver for a maximum total line length of up to 7500 ft (2286 m). For use with either 900MHz (North America Only) or 2.4GHz systems. INCLUDES: External universal power supply (24VDC), interchangeable AC blades, and Quick Start Guide	CHF 1'231.25	CHF 1'329.75
2.4 GHz Accessories			
PC-ANT2-2DBO	2.4GHz 2dBi Omni Whip Antenna w/RP-TNC Connector 2.4GHz Omni-directional whip antenna with RP-TNC connector used with 2.4GHz Tempest® Wireless products.	CHF 61.25	CHF 66.15
TMP-ZPAR-01	Tempest® Parallel ZSync™ Generator (2.4GHz Only) creates an external zero sync source for multiple Tempest® BaseStations allowing for seamless roaming. One Parallel Sync Generator supports up to 12 BaseStations.* Radio version 1.18 or later is required. * ONLY for Tempest 2.4GHz BaseStations. INCLUDES: Power Supply w/Power Cord	CHF 3'118.75	CHF 3'368.25
TMP-ZSYNC-04	Tempest® ZSync™ Generator Dongle (2.4GHz Only) Tempest®2.4GHz BaseStations in a daisy-chain configuration. Strongly recommended for linking multiple BaseStations. Allows seamless roaming. Includes integrated power supply. * Radio version 1.18 or later is required. * ONLY for Tempest 2.4GHz BaseStations	CHF 493.75	CHF 533.25
Replacement Parts			
0000050062	6 in (152.4 mm) 9-Pin Base Sync Cable BaseStation to BaseStation sync cable used to synchronize more than one BaseStation by providing a common timing signal between connected Tempest® BaseStations. For use with either 900MHz (North America Only) or 2.4GHz systems.	CHF 61.55	CHF 66.45
00001390	6 ft (1.8 m) USB A to USB B Cable for use with BaseStation Male to B universal serial bus cable, which provides transfer rates up to 480 Mbps. For use with Tempest BaseStations.	CHF 25.00	CHF 27.00
00001398	6 ft (1.8 m) USB to Mini USB Cable for use with BeltStation Male to USB Mini B (5-pin) universal serial bus cable with molded connectors. For use with Tempest® BeltStations.	CHF 25.00	CHF 27.00
00001700	Tempest® BeltStation and MasterBelt® battery cover all Tempest® wireless BeltStations and MasterBelts.	CHF 6.25	CHF 6.75
00001827	Universal Power Supply (12V 5A) for TMA-BCHRG-05A with the five bay lithium-polymer battery charger (TMA-BCHRG-05A). INCLUDES: Power Cord (IEC 60320, US-type)	CHF 175.00	CHF 189.00
00002237	6 ft (1.8 m) 1/8" to 1/8" TRS Mini Pairing Cable 1/8" mini TRS cable used to pair a Tempest® BeltStation with a BaseStation	CHF 16.25	CHF 17.55
PC-CAT5-15BL	15 ft (4.57 m) RJ45 Cat-5 Cable category 5e cable with RJ-45 terminations. Used to connect a BaseStation to a Radio Transceiver.	CHF 51.25	CHF 55.35

Pliant Retail CHF Pricelist September 2016

September 2016



Part	Price List Description	Price CHF excl. 8% VAT		Price CHF incl. 8% VAT	
PC-POWERCORD	6 ft (1.8 m) AC Power Cord, IEC 60320, US-type Cable with NEMA 5-15 Power (North America) Plug and IEC 60320 C13 power connectors.	CHF	25.00	CHF	27.00
TMA-USBCHRG-4	Tempest® Multi-Blade Charger In 100–240V, 50–60Hz; Out 5V supply used to charge a Tempest® BeltStation or MasterBelt® (w/battery) via the mini-USB port. Supports 100–240 V, 50–60 Hz AC Power. INCLUDES: Multiple blades for international use.	CHF	50.00	CHF	54.00



Gotham Swiss VAT Number: CHE-108.113.335 MwST, ZAZ 2935-5
 Swiss Bank:
 ZKB AG 8953 Dietikon, Clearing Nr. 700, Swift ZKBK CH ZZ 80A
 CHF IBAN CH44 0070 0111 5002 6205 6 (USD-and EUR-upon request)
 Schweizerische Post Bank
 Konto: 80-6584-3, BIC: POFICHBEXXX, IBAN CH81 0900 000 8000 6584 3
 Beneficiary: Gotham LTD, CH 8953 Dietikon
 We reserve the right to deny orders for any reasons what so ever.

09.09.2016/JS/HP